

duro.TM

Porcelain
Engineered
Forever



ultimatestone.nz

duro.™

Introducing Duro™ : Porcelain Engineered Forever.

Duro™ Porcelain offers large-format, lightweight, and versatile porcelain stoneware for both indoor and outdoor decorative surfaces. Its cutting-edge technology ensures durability, zero porosity, and a wide range of colors and finishes. Ideal for walls, floors, countertops, and even furniture, Duro™ enables limitless design possibilities, meeting high standards of design and durability.

Crafted for both aesthetics and performance, Duro™ Porcelain stands out for its resilience and low maintenance. Its advanced engineering allows for seamless integration into any design, from minimalist modern to classic elegance. With Duro™, you can transform any space into a masterpiece, knowing it will withstand the test of time while maintaining its pristine beauty.



PORCELAIN ENGINEERED FOREVER



Why Duro™?

Duro™ Porcelain offers large-format, lightweight, and versatile porcelain stoneware for both indoor and outdoor decorative surfaces. Its cutting-edge technology ensures durability, zero porosity, and a wide range of colours and finishes. Ideal for walls, floors, countertops, and even furniture, Duro™ enables limitless design possibilities, meeting high standards of design and durability.



Innovative Design

Inspired by nature, Duro™ continually innovates in design, offering more colours, patterns, and finishes, making it easier to create your desired space.



Extra Large Slab Size

Duro™ is available in a large 3200 x 1600 mm format and 12 mm thickness. This reduces joints, enhancing aesthetics and hygiene, and ensures consistency across spaces.



Italian Technology

Duro™ uses cutting-edge Italian technology and European-standard raw materials. Every step of the manufacturing process meets international standards.



Easy to Clean

Duro™ is non-porous with zero absorption, making it stain-resistant and germ-free. It's easy to clean and maintain, without needing coatings or regular polishing.



Maximum Strength & Durability

Duro™ is 100% natural, colourfast in sunlight and harsh weather, non-combustible, smoke-free, and safe under high temperatures. Its hard surface is scratch-resistant, waterproof, and liquid-resistant.



Versatile Application Method

Duro™ is available in a 12 mm thickness for walls and floors. It can be vertically installed using adhesive or Visible Mechanical Fastening Fixation (VMF), similar to glass curtain wall applications.



Environmentally Sustainable

Duro™ uses harvested rainwater in the manufacturing process and natural gas for heating during sintering to reduce emissions. The use of all-natural materials ensures no toxic substances are produced.



Our Range



Silverstone



Series:
Project




Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

Desert



Series:
Project



Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

River



Series:
Project




Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

Clay



Series:
Signature




Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

Royal



Series:
Signature




Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

Glacier



Series:
Signature



Thickness:
12mm

Slab Size:
3200 x 1600mm

Finish:
Matte

duro.™

ULTIMATE
STONE

Duro™ Advantages



Durable

Duro™ uses cutting-edge Italian technology, makes Duro™ exceptionally durable and strong.



Easy to Clean

Duro™ is non-porous. It has a zero absorption level, making it stain-resistant and providing no area for germs to grow.



Fade Resistant

Duro™ does not need coating and regular polishing. Its beauty lasts for a long time.



duro.™



Fire & Heat Resistant

Duro™ is able to withstand high temperatures and will not burn when in contact with fire.



100% Natural

Duro™ is manufactured with all-natural materials and contains no toxic or harmful substances.



Scratch Resistant

Duro™ is highly resistant to abrasions and scratches.



UV-Resistant

Duro™ does not discolour over time or when exposed to UV light, making it suitable for outdoor application.



Stain Resistant

Duro™ is stain resistant and easy to clean. It is also resistant to harsh chemicals such as detergents and cleaning agents.



Ultra-High Heat Resistance

The hottest pans from your hob will never be an issue as Duro™ is resistant to thermal stress and ultra-high temperatures. No need for a hot mat again.



Silverstone

An artistically textured grey stone with a subtle blend of tones and light markings that evoke calm volume and solidity.

Code

50.3334.GR



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness

12mm

Series

Project

Surface Style

Marble

3200mm



1600mm

duro.TM

PORCELAIN ENGINEERED FOREVER



Benchtop & Splashback
Silverstone

Desert

A truly natural sandy coloured stone with just the right amount of diagonal grain and organic textures, suitable for every application both interior and exterior

Code

50.3335.BR



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness

12mm

Series

Project

Surface Style

Marble

3200mm



1600mm

duro.TM

PORCELAIN ENGINEERED FOREVER

Floor
Desert

River

Inspired by the Alvord Desert in Oregon. Just like Shadowstone, the desert is a flat, crumbled-earth expanse, the remains of a deep lake from ages ago.

The desert emptiness contrast with the snowy peaks of Steens Mountain as its backdrop. Perfect for minimalist or contemporary design.

Code

50.3336.GR



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness

12mm


Series

Project

Surface Style

Marble

3200mm



1600mm

duro.™

PORCELAIN ENGINEERED FOREVER



Benchtop & Splashback
River

Clay

Clay, with rich beige tones and pale strokes, is available in textured matte and polished finishes. Inspired by golden marble, it features motifs from elongated to micro-crystalline flakes. Perfect for floors, backsplashes, countertops, fireplaces, and bathrooms, this stone has been treasured since ancient times.

Code

50.3337.BR



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness

12mm

Series

Signature

Surface Style

Marble

3200mm



1600mm

duro.

PORCELAIN ENGINEERED FOREVER



Benchtop
Clay

Royal

Royal features a neutral base with streaks of brown, gold, and taupe. This matte porcelain surface mimics marble's luxury, perfect for any kitchen style. The golds harmonize with lighter cabinets and pop against darker ones for a stunning effect.

Code

50.3338.WH (A)

50.3339.WH (B)



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness

12mm

Series

Signature

Surface Style

Available in two faces for bookmatch effect



A

B

Book matched slabs assist in vein matching for benchtop fabrication. Manually produced, they may have slight vein variations. The veins on A and B goes right through the slabs.

3200mm



1600mm

PORCELAIN ENGINEERED FOREVER



Benchtop & Splashback
Royal

Glacier

With subtle grey veining on a white base, this stone evokes Mount Altissimo's famous marble quarries. The intense veins create a dramatic, luxurious effect. The three-dimensional, pencil-like shading adds depth and authenticity, embodying classicism and elegance for any design.

Code

50.3340.WH(A)
50.3341.WH(B)



Finish

Matte

Slab Dimensions (mm)

3200 x 1600mm

Thickness


12mm

Series

Signature

Surface Style

Available in two faces for bookmatch effect



A

B

Book matched slabs assist in vein matching for benchtop fabrication. Manually produced, they may have slight vein variations. The veins on A and B goes right through the slabs.

3200mm



1600mm

PORCELAIN ENGINEERED FOREVER



Benchtop & Splashback
Glacier

DURO™ PORCELAIN



Benchtop: Glacier

Care and Maintenance

Daily Clean

For hassle-free maintenance, use a Microfibre cloth to keep the Duro™ surface free of dirt, dust, or debris:

1. Soak the microfibre cloth in warm water.
2. Add Duro™'s recommended cleaning agents for a thorough cleanse.
3. Wipe the surface, keeping the cloth damp.
4. Rinse with clean water.
5. Dry with a clean cloth.

Deep Clean

For stubborn stains like coffee, ink/ dye, or nail polish, a deep clean using aggressive, Duro™-recommended chemical products may be necessary for effective removal. It's advisable to address tough stains promptly to prevent long-term discoloration.

Tip:

It's wise to test a small patch of the stained area first to ensure effectiveness. If it works well, proceed with cleaning the rest of the surface. Avoid using any products not recommended for cleaning.

Cleaning Tools

Cloth:

Use a microfibre cloth for the best results.

Pour an adequate amount of cleaning agent on the stain and wait for it to absorb. Rinse with water and dry with a clean cloth.



Sponge:

Use a sponge for the best results. Pour an adequate amount of cleaning agent on the stain and wait for it to absorb. Soak the sponge in warm water, keeping it damp. Move the sponge in a circular motion on the treated area. Rinse with water and dry with a clean cloth.



Broom:

Use a broom with fine plastic bristles. Pour an adequate amount of cleaning agent on the stain and wait for it to absorb. Gently scrub the surface. Rinse with water and dry with a clean cloth.



AFTER INSTALLATION

TYPE OF DIRT / STAIN	TYPE OF DETERGENT	DETERGENT EXAMPLES*
Rubber Marks of Suction Cups, Frames, Trolleys	Rubber Marks Removal Detergent	WPC, Porstex, Vixal, Harpic
Before Furnishing Rooms	Porcelain Cleaner, Degreasing Detergent	Porcelaine Cleaner (Mr. Muscle, SOS, etc)
Protect Joins	Light Descaling Detergent	Federchemicals
Grout Clean (Epoxy, Cement, Polymer, Resin Base)	Grout Cleaner Detergent	Deterdex (Fila), Cement Remover (Deterdex)
Cement, Concrete	High Descaling Detergent	Exxed powder (for Matte Surfaces), WPC, Porstek, Vixal, Fillanopaint Star

SPECIFIC CASES

TYPE OF DIRT / STAIN	TYPE OF DETERGENT	DETERGENT EXAMPLES*
Limescale Deposits	Limescale Removing Detergent	Astonish Multipurpose with Bleach, Bathroom, Limescale Remover, Exxed Powder (for Matte Surface)
Aluminium Marks, Pencil Marks, Rust	Aluminium Marks, Pencil Marks, Rust Marks Removal Detergent	Exxed Powder (for Matte Surface), WPC, Porstek, Fillanopaint Star
Silicone, Glue, Chewing Gum, Residue Adhesive, Tape, Tree Resin, Rubber	Residue Remover	Filaps87, Filazerosil
Mould, Algae, Musk	Residue Remover	Exxed Powder (for Matte Surface), WPC, Porstex

REMOVAL OF COLOURED STAINS

TYPE OF DIRT / STAIN	TYPE OF DETERGENT	DETERGENT EXAMPLES*
Coffee, Tea, Ice Cream, Fruit Juice, Wine, Beer	Residue Remover	Fila SR95, Faber 30, Astonish Multipurpose with Bleach, WPC, VIXAL, HARPIC, Fillanopaint Star
Blood		
Nicotine		
Ink & Marker Pen		
Urine & Vomit		
Coloured Carbonated Drinks		
Hair Dye		
Paint		

REMOVAL OF GREASY SUBSTANCES

TYPE OF DIRT / STAIN	TYPE OF DETERGENT	DETERGENT EXAMPLES*
Oil & Grease	Degreasing Detergent	Sunlight, Mr. Muscle, Astonish Window and Glass

* Read the brand/manufacturer's recommendations carefully before using the product. Damage resulting from the use of non-recommended cleaners or negligence in the application of the cleaner is at the user's risk.

Slab Size

Duro™ uses advanced technology to manufacture oversized stone slabs measuring up to 3200 x 1600 mm. These slabs are versatile and suitable for both indoor and outdoor use, offering a visually impressive, seamless look for walls and floors with minimal grout lines.

The extra-large Duro™ stone slabs are also durable enough for demanding applications such as kitchen countertops, bathroom vanities, and tabletops.

Thickness: 12mm

Warranty

Duro™ Warranty Information

To register your Duro™ Porcelain warranty, please complete your details online at archant.co.nz. Registering ensures we have your information for warranty claims. Duro™ provide a 10 year warranty to the original owner of our Duro™ Porcelain slabs against manufacturing and/or structural defects for the 10 years of the end user. While each product undergoes careful inspection before shipping or delivery, it is the owner's responsibility to thoroughly inspect upon receipt. Any subsequent damage is the owner's responsibility. Final inspection and approval of installation are also the owner's responsibility.

The warranty applies only if the product is properly fabricated and installed as a kitchen and/or bathroom top in residential or commercial interiors by approved fabricators, used for its intended purpose, and maintained according to care instructions. All warranty claims must be submitted to Duro™ within 28 days of discovering a manufacturing fault covered by this warranty.

Warranty Exclusions

The warranty is void if the product is not fully paid for. It covers only manufacturing defects and excludes damage due to mishandling, structural movement, abnormal use, misuse, chemical exposure, direct or sustained heat or cold (thermal shock), force, pressure, or impact by persons or objects.

It does not cover damage from poor installation, inadequate support, or improper design of cabinets, structures, substrate, or subfloors for countertops, vertical surfaces, or floor tiles. Quality of installation or damage caused by the installer or fabricator is not covered. Installation or fabrication issues must be resolved directly with the point of purchase and are not the responsibility of Duro™. Transportation, freight, removal, disposal, reinstallation, fabrication, or associated costs beyond material costs are not covered unless pre-approved by Duro™.

SPECIALISTS IN STONE. MASTERS OF BENCHTOPS



 09 945 6788

 sales@ultimatestone.nz

 www.ultimatestone.nz

 Ultimate Cabinetry & Stone

 183c Wiroa Rd, Kerikeri 0293
(across from Kerikeri Airport)